Fixing directly to the wall, through the waterproof coating, will breach the membrane. Lap the Newton 107F on to the resin anchor for continuity of the waterproofing.

Drill appropriate sized hole as required; blow out all debris and then insert resin capsule followed by anchor bolt as per manufacturers instructions.

To access further details and relevant technical information please call our Technical Team on 01732 360095 or refer to our website.

Newton HydroSeal System

Fixing point - 107F - 908 LiquaBond/ 203-RM

Newton 107F (Smoothing coat of Newton 203-RM or Newton 908 Liquabond on masonry) Concrete or Masonry Substrate Resin anchor

NOTE: This is a Newton waterproofing detail and copyright remains with John Newton & Co. Ltd. (trading as Newton Waterproofing Systems). Any specification/advice provided is only valid if used with products supplied by John Newton & Co. Ltd. For the design of the structure, please use a professional designer. We recommend that Newtons' waterproofing systems are installed by our NSBC registered contractors who can offer insurance backed guarantees and accept liability for both the design and installation of our systems. Please refer to product data sheets before installation of our products. Newton Waterproofing Systems reserve the right to update drawings and product literature at any time.



Plan or Section

© Newton Waterproofing Systems
(a trading name of John Newton & Co. Ltd.)
Newton House, 17 - 20 Sovereign Way, Tonbridge, Kent, TN9 1RH
7: 01732 360095 W: www.newtonwaterproofing.co.uk E: tech@newtonwaterproofing.co.uk

Scale Not to scale	Drawing Reference CW-D02C	Original Reference	Drawing Revision
Date	Designed by	Drawn by	Checked by
06/06/2018	DGB	CER	DGB