



To access further details and relevant technical information please call our Technical Team on 01732 360 095 or refer to our [website](#).

NOTE: This is a Newton waterproofing detail and copyright remains with John Newton & Co. Ltd. (trading as Newton Waterproofing Systems). Any specification/advice provided is only valid if used with products supplied by John Newton & Co. Ltd. For the design of the structure, please use a professional designer. We recommend that Newtons' waterproofing systems are installed by our NSBC registered contractors who can offer insurance backed guarantees and accept liability for both the design and installation of our systems. Please refer to product data sheets before installation of our products.

Newton Waterproofing Systems reserve the right to update drawings and product literature at any time.

Reference	CDM-P18E	Designed	AJG
Revision	C	Drawn	AJG
Date	16/04/2025	Checked	TC

This drawing shows the Newton Inspection Port through the floor finish leaving just a white border in the finish.

The Newton Basedrain Inspection Port allows access to the drainage channel and so makes Newton CDM System maintainable and so meets the requirements within 4.3.2 of BS8102:2022, that the issue of repairability should be taken into account and feasibility of remedial measure assessed.

Product codes:

D26 - Basedrain Inspection Port pack of 4.

D28 - CDM Inspection Port x 2m length of ducting 204mm x 60mm

D29 - CDM End cap for ducting

D30 - CDM BaseDrain Inspection Port Base 204mm 60mm

If detailed as per CDM-D31 the CDM system will act as a basic radon barrier. If higher levels radon or gas protection is required please speak with the Newton Technical Team.