Date of issue/ Date of revision: 14.09.2015Date of previous issue: 00.00.0000

Version : 1.0



SAFETY DATA SHEET

NitCal TQ (Prill)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : NitCal TQ (Prill) EC number : 239-289-5

REACH Registration number : 01-2119493947-16

CAS number : 15245-12-2
Product code : PA343P
Product type : Solid (prills)

Other means of identification : Nitric acid, ammonium calcium salt

1.2 Relevant identified uses of the substance or mixture and uses advised against

Notes : The safety data sheet and any attached exposure scenario

are compiled in accordance with the REACH regulation and

in no way reflects the specification, purity or quality

standards required for specific applications and use of the

product identified in section 1.1.

Identified uses

Industrial distribution.

Industrial USE to formulate chemical product mixtures.

Industrial USE in construction materials.

Industrial USE as reactive agent/processing aid and for general chemical applications.

Industrial formulation and USE in industrial explosives.

Industrial USE as chemical intermediate.

Industrial USE to manufacture specialist chemical/other products.

Industrial USE for surface/article treatment.

Industrial USE as heat transfer fluid.

Professional USE in construction materials.

Professional USE as reactive agent/processing aid and for general chemical applications.

Professional USE as heat transfer fluid.

Professional USE for soil remediation and mass stabilisation.

Professional USE as part of specialist chemicals/other products.

Professional USE as chemical/process nutrient.

Uses advised against	: Other non-specified industry
Reason	: Due to lack of related experience or data, the supplier
	cannot approve this use.

1.3 Details of the supplier of the safety data sheet

Yara Industrial

Date of issue : 14.09.2015 Page:1/28

Address

Street : Harvest House, Europarc

Postal code : DN37 9TZ

City : Grimsby, North East Lincolnshire

Country : United Kingdom
Telephone number : +44 (0) 1472 889250
Fax no. : +44 (0) 1472 889251
e-mail address of person : yarauk.hesq@yara.com

responsible for this SDS

1.4 Emergency telephone number

National advisory body/Poison : Not available.

Center

<u>Supplier</u>

Telephone number : National Chemical Emergency Centre

+44 (0) 1865 407333

Hours of operation : 24h

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification : Acute Tox. 4, H302 (oral)

Eye Dam./Irrit. 1, H318

The product is classified as hazardous according to

Regulation (EC) 1272/2008 as amended.

Classification according to Directive 67/548/EEC [DSD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xn, R22

Xi, R41

Human health hazards : Harmful if swallowed. Risk of serious damage to eyes.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : Harmful if swallowed.

Causes serious eye damage.

Precautionary statements

Prevention : Wear protective gloves and eye protection. Do not eat,

drink or smoke when using this product. Wash hands

Date of issue : 14.09.2015 Page:2/28

thoroughly after handling.

Response : IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER

or doctor/physician.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII

- Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings

Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Substance meets the criteria

for PBT according to

Regulation (EC) No. 1907/2006,

Annex XIII

Substance meets the criteria

for vPvB according to

Regulation (EC) No. 1907/2006,

Annex XIII

Other hazards which do not

result in classification

Not applicable.

Not applicable.

Product forms slippery surface when combined with water.

SECTION 3: Composition/information on ingredients

3.1 Substances : Mono-constituent substance

Draduct / ingradient			C	lassification	
Product / ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Nitric acid, ammonium calcium salt	RRN: 01-2119493947- 16 EC: 239-289-5 CAS: 15245-12-2	100	Xn; R22 Xi; R41	Acute Tox. 4 H302 (ORAL) Eye Dam./Irrit. 1 H318	[A]

<u>Type</u>

[A] Constituent

[B] Impurity

[C] Stabilizing additive

See Section 16 for the full text of the R phrases or H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in

Date of issue: 14.09.2015 Page:3/28

the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water for at least 15

minutes, keeping eyelids open. Check for and remove any

contact lenses. Get medical attention immediately.

Inhalation : If inhaled, remove to fresh air. Get medical attention immediately.

If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.

Skin contact: Wash with soap and water. Get medical attention if irritation

develops.

Ingestion : Wash out mouth with water. If material has been swallowed and

the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if you feel unwell.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : May give off gas, vapor or dust that is very irritating or corrosive

to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed

following exposure.

Skin contact: No known significant effects or critical hazards.

Ingestion: Harmful if swallowed. May cause burns to mouth, throat and

stomach.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : Adverse symptoms may include the following:

stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Date of issue: 14.09.2015 Page:4/28

Notes to physician

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use flooding quantities of water for extinction.

Unsuitable extinguishing media

Do NOT use chemical extinguisher or foam or attempt to

smother the fire with steam or sand.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

No specific fire or explosion hazard.

Hazardous thermal decomposition products

Avoid breathing dusts, vapors or fumes from burning

materials.

In case of inhalation of decomposition products in a fire,

symptoms may be delayed.

Remark : Non-flammable substance.

5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Additional information : None.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency

Date of issue: 14.09.2015 Page:5/28

personnel".

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill

: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Recommendations

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid

Date of issue : 14.09.2015 Page:6/28

environmental contamination. Keep away from: organic materials, oil and grease.

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific

solutions

Not available.

SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Reference should be made to monitoring standards, such as the following:

European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)

European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)

European Standard EN 482 (Workplace atmospheres - General

requirements for the performance of procedures for the

measurement of chemical agents)

Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product / ingredient name	Туре	Exposure	Value	Population	Effects
Nitric acid, ammonium calcium salt	DNEL	Long term Dermal	13.9 mg/kg bw/day	Workers	Systemic
Nitric acid, ammonium calcium salt	DNEL	Long term Inhalation	98 mg/m³	Workers	Systemic

PNECs

Product / ingredient	Туре	Compartment Detail	Value	Method Detail
name				
Nitric acid, ammonium calcium salt	PNEC	Sewage Treatment Plant	18 mg/l	Assessment Factors

8.2 Exposure controls

Date of issue : 14.09.2015 Page:7/28

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

: A washing facility or water for eye and skin cleaning

purposes should be present.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: Tightly-fitting goggles

CEN: EN166

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

> 8 hours (breakthrough time): Protective gloves should be

worn under normal conditions of use.

Body protection: Personal protective equipment for the body should be

selected based on the task being performed and the risks

involved.

Other skin protection : Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Respiratory protection: In case of inadequate ventilation wear respiratory

protection. Recommended: Filter P2 (EN 143)

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the

requirements of environmental protection legislation.
In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary

to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Solid (prills)
Color : White.
Odor : Odorless.
Odor threshold : Not determined.

pH : 5 - 7 [Conc. (% w/w): 110 g/l]

Melting point/freezing point : 400 °C

Initial boiling point and boiling

range

Not determined

Flash point : Not determined Evaporation rate : Not determined

Date of issue: 14.09.2015 Page:8/28

Flammability (solid, gas) : Non-flammable.

Upper/lower flammability or

explosive limits
Vapor pressure

Lower: Not determined Upper: Not determined

Vapor pressure: Not determinedVapor density: Not determined

Relative density : 2.05

Bulk density : 1,100 kg/m3

Solubility(ies) : > 100 g/l

Easily soluble in the following materials:

cold water

Water solubility : > 100 g/l

Partition coefficient:

: Not determined

n-octanol/water

: Not determined

None.

Auto-ignition temperature Viscosity

Dynamic: Not determined

Explosive properties

Kinematic: Not determined None.

Oxidizing properties

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous

<u>reactions</u>

Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid : Avoid contamination by any source including metals, dust

and organic materials.

10.5 Incompatible materials : alkalis

combustible materials reducing materials organic materials

acids

10.6 Hazardous decomposition:

<u>products</u>

: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product /	Result	Species	Dose	Exposure	References
ingredient name				-	

Date of issue : 14.09.2015 Page:9/28

Nitric acid, ammonium calcium salt						
	LD50	Oral Rat 500 mg/kg - IUCLID 5 OECD 423				
	LD50	Dermal	Rat	> 2,000 mg/kg OECD 402	-	IUCLID 5

Conclusion/Summary : Harmful if swallowed.

Irritation/Corrosion

Product / ingredient name	Result	Species	Score	Exposure	Observation	References
Nitric acid, ammonium calcium salt	Eyes - Severe irritant OECD 405	Rabbit		24 - 72 h	21 d	IUCLID 5

Conclusion/Summary

SkinEyesNon-irritating to the skin.Causes serious eye damage.

Respiratory : Non-irritating to the respiratory system.

Sensitization

Conclusion/Summary_

Skin : Not sensitizing Respiratory : Not determined.

Mutagenicity

Conclusion/Summary : No mutagenic effect.

Carcinogenicity

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Product / ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure	References
Nitric acid, ammonium calcium salt	Negative	Negative	Negative	Rat	Oral : 1500 mg/kg OECD 422	53 days	IUCLID 5

Conclusion/Summary : No known significant effects or critical hazards.

Teratogenicity

Conclusion/Summary: No known significant effects or critical hazards.

Information on the likely routes of exposure

: No known significant effects or critical hazards.

Potential acute health effects

Inhalation : May give off gas, vapor or dust that is very irritating or

corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard.

Date of issue: 14.09.2015 Page:10/28

Serious effects may be delayed following exposure.

Ingestion : Harmful if swallowed. May cause burns to mouth, throat

and stomach.

Skin contact: No known significant effects or critical hazards.

Eye contact : Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.

Ingestion : Adverse symptoms may include the following:

stomach pains

Skin contact : No specific data.

Eye contact : Adverse symptoms may include the following: pain

watering redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Adverse health effects are considered unlikely, when the

product is used according to directions.

Potential delayed effects : None identified.

Long term exposure

Potential immediate effects: Adverse health effects are considered unlikely, when the

product is used according to directions.

Potential delayed effects : None identified.

Potential chronic health effects

Product / ingredient name	Result	Species	Dose	Exposure	References
Nitric acid, ammonium	Sub-acute NOAEL Oral	Rat	> 1000 mg/kg	28 days	IUCLID 5
calcium salt			OECD 407		
	Sub-acute NOAEL Oral	Rat	> 1500 mg/kg	28 days	IUCLID 5
			OECD 407		

Conclusion/Summary : Not toxic.

General: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Toxicokinetics

Absorption : Rapidly absorbed.

Distribution :

Date of issue: 14.09.2015 Page:11/28

Enters the systemic circulation without passing through

liver tissues.

Metabolism : Rapidly metabolized.

Metabolized to the following:

Ca2+ NH4+ NO3-

Elimination : Excreted via the urine.

The chemical and its metabolites are fully excreted and do

not accumulate within the body.

SECTION 12: Ecological information

12.1 Toxicity

Product / ingredient	Result	Species	Exposure	References				
name								
Nitric acid, ammonium calcium salt								
	Acute LC50 447 mg/l Fresh water	Fish - Fish	48 h	IUCLID 5				
	Acute EC50 > 100 mg/l Fresh water OECD 202	Aquatic invertebrates. Daphnia	48 h	IUCLID 5				
	Acute LC50 > 100 mg/l Fresh water OECD 201	Aquatic plants - Algae	72 h	IUCLID 5				
	Acute EC50 > 1,000 mg/l Activated sludge OECD 209	Micro-organism - Activated sludge	3 h	IUCLID 5				

Conclusion/Summary

: The product does not show any bioaccumulation phenomena. The product is not expected to harm the environment when used properly according to directions.

12.2 Persistence and degradability

Conclusion/Summary : Readily biodegradable in plants and soils.

Product / ingredient name	Aquatic half-life	Photolysis	Biodegradability	References
Nitric acid, ammonium	calcium salt		<u> </u>	
			Not relevant for	
			inorganic	
			substances.	

12.3 Bioaccumulative potential

Product / ingredient name	LogPow	BCF	Potential	References
Nitric acid, ammonium	< 0	-	low	
calcium salt				

Conclusion/Summary : No known significant effects or critical hazards.

12.4 Mobility in soil

Soil/water partition coefficient : < 1

Date of issue : 14.09.2015 Page:12/28

(KOC)

Mobility : This product may move with surface or groundwater flows

because its water solubility is: high

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with

jurisdiction.

Hazardous waste : Yes.

European waste catalogue (EWC)

Waste code	Waste designation
06 10 02*	wastes containing dangerous substances

Packaging

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Empty the bag by shaking to remove as much as possible of its contents. Empty bags may be disposed of as non-hazardous material or returned for recycling.

Special precautions

: This material and its container must be disposed of in a safe way.

Care should be taken when handling emptied containers

that have not been cleaned or rinsed out.

Empty containers or liners may retain some product

residues

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulation: ADR/RID	
14.1 UN number	Not regulated.

Date of issue: 14.09.2015 Page:13/28

NitCal TQ (Prill)

14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	

Regulation: ADN	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	
Danger code	: Not applicable.

Regulation: IMDG	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	
Marine pollutant	No.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

14.8 IMSBC

Bulk cargo shipping name : CALCIUM NITRATE FERTILIZER

Class : Not applicable.

Group : C

Marpol V : Non-HME

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

None of the components are listed.

Substances of very high concern: None of the components are listed.

Date of issue : 14.09.2015 Page:14/28

Other EU regulations

Europe inventory : All components are listed or exempted.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

Notes : To our knowledge no other country or state specific

regulations are applicable.

15.2 Chemical Safety

Assessment

This product contains substances for which Chemical

Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008]
DNEL = Derived No Effect Level
DMEL = Derived Minimal Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number PBT = Persistent, Bioaccumulative and Toxic

vPvB = Very Persistent and Very Bioaccumulative

bw = Body weight

Key literature references and

sources for data

EU REACH IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

IHS, 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada.Regulation (EC) No 1272/2008 Annex VI.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Acute Tox. 4, H302 (oral)	Calculation method
Eye Dam./Irrit. 1, H318	Calculation method

Full text of abbreviated H

statements

H302 (oral) Harmful if swallowed.

H318 Causes serious eye damage.

Full text of classifications

[CLP/GHS]

Acute Tox. 4, H302: ACUTE TOXICITY (oral) - Category

4

Eye Dam./Irrit. 1, H318: SERIOUS EYE DAMAGE/ EYE

IRRITATION - Category 1

Full text of abbreviated R

phrases

R22- Harmful if swallowed.

R41- Risk of serious damage to eyes.

Full text of classifications

[DSD/DPD]

Xn - Harmful

Xi - Irritant

Date of issue: 14.09.2015 Page:15/28

Date of printing: 02.11.2015Date of issue/ Date of revision: 14.09.2015Date of previous issue: 00.00.0000

Version : 1.0

Prepared by : Yara Product Classifications & Regulations.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.

Date of issue: 14.09.2015 Page:16/28



Annex to the extended Safety Data Sheet (eSDS) - Exposure Scenario:

Identification of the substance or mixture

Product definition : Mono-constituent substance

Product name : NitCal TQ (Prill)

Exposure Scenario

information

: Update of exposure scenarios

Date of issue: 14.09.2015 Page:17/28



Annex to the extended Safety Data Sheet (eSDS) -**Exposure Scenario:**

Section 1 — Title

Short title of the exposure

scenario

Yara - nitric acid, ammonium calcium salt - Distribution,

Formulation

Identified use name Industrial distribution.

Industrial USE to formulate chemical product mixtures.

Substance supplied to that

use in form of

As such. In a mixture

List of use descriptors

Process Category PROC01, PROC02, PROC03, PROC05, PROC08a, PROC08b,

PROC09, PROC14, PROC15, PROC19

Environmental Release

Category

Market sector by type of

chemical product

ERC02, ERC03

PC01, PC04, PC09a, PC11, PC12, PC15, PC16, PC20, PC21, PC29, PC35, PC37, PC39, SU 0: Other: K15000, R30 200, H15100, PC 0: Other: UCN P15100, PC 0: Other: UCN K35000,

O05990, O40000

Subsequent service life

relevant for that use

No.

Number of the ES 02780-1/2013-12-27

Section 2 - Exposure controls

Contributing exposure scenario controlling environmental exposure for: All

This product is not classified according to EU legislation., No exposure assessment presented for the environment.

Contributing exposure scenario controlling worker exposure for:

Product Characteristics Inorganic salt.

Concentration of substance

in mixture or article

<= 100 %

Physical state Solid.

> Granulate Liquid. Melt prills

Dust Solid, low dustiness

Frequency and duration of

Use duration (h/d): < 8

Area of use: Indoor

Date of issue: 14.09.2015 Page:18/28

Ventilation control measures

Provide a basic standard of general ventilation (1 to 3 air changes per hour).. No special ventilation requirements.

Conditions and measures related to personal protection, hygiene and health evaluation

Advice on general occupational hygiene

: Pay attention to good general hygiene and housekeeping., Wash hands and face before breaks and immediately after handling the product., Do not eat, drink or smoke when using this product.

Personal protection

Causes serious eye damage., Wear protective gloves/clothing and eye/face protection., Wear suitable gloves tested to EN374., Wear work clothing with long sleeves., If necessary:, Chemical splash goggles or face shield., See Section 8 of the safety data sheet (personal protective equipment).

Section 3 — Exposure estimation and reference to its source

Exposure estimation and reference to its source - Workers:

Exposure assessment

: Contributing Scenario : All

(human):

Qualitative approach used to conclude safe use.

Exposure estimation : Not determined

Oral exposure is not expected to occur.

See Section 8 in SDS, DNEL.

Section 4 — Guidance to Downstream User to evaluate if he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Not applicable.

Abbreviations and acronyms

Process Category

PROC01 - Use in closed process, no likelihood of exposure PROC02 - Use in closed, continuous process with occasional

controlled exposure

PROC03 - Use in closed batch process (synthesis or formulation) PROC05 - Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)

PROC08a - Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC08b - Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

dedicated facilities

PROC09 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC14 - Production of preparations or articles by tabletting,

compression, extrusion, pelletisation PROC15 - Use a laboratory reagent

PROC19 - Hand-mixing with intimate contact and only PPE

available

Environmental Release : ERC02 - Formulation of preparations

Date of issue: 14.09.2015 Page:19/28

Category

ERC03 - Formulation in materials

Market sector by type of chemical product

PC01 - Adhesives, sealants

PC04 - Anti-Freeze and de-icing products

PC09a - Coatings and paints, thinners, paint removers

PC11 - Explosives PC12 - Fertilizers

PC15 - Non-metal surface treatment products

PC16 - Heat transfer fluids

PC20 - Products such as ph-regulators, flocculants, precipitants,

neutralization agents

PC21 - Laboratory chemicals PC29 - Pharmaceuticals

PC35 - Washing and cleaning products (including solvent based

products)

PC37 - Water treatment chemicals

PC39 - Cosmetics, personal care products SU 0: Other: K15000 - Coagulation agents

R30 200 - Raw materials for production of glass and ceramics

H15100 - Curing Agents - Concrete hardeners PC 0: Other: UCN P15100 - Accelerators

PC 0: Other: UCN K35000 - Construction materials (building

materials)

O05990 - Drilling chemicals - Other drilling chemicals

O40000 - Oxidizing agent.

Date of issue : 14.09.2015 Page:20/28



Annex to the extended Safety Data Sheet (eSDS) -**Exposure Scenario:**

Section 1 — Title

Short title of the exposure scenario

Yara - nitric acid, ammonium calcium salt - Industrial

Identified use name Industrial USE as chemical intermediate.

Industrial USE as reactive agent/processing aid and for general

chemical applications.

Industrial USE as heat transfer fluid. Industrial USE for surface/article treatment. Industrial USE as chemical/process nutrient.

Industrial USE as part of specialist chemicals/other products.

Industrial USE in construction materials.

Industrial formulation and USE in industrial explosives.

Substance supplied to that

use in form of

As such, In a mixture

List of use descriptors

PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, **Process Category**

PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC15,

PROC19, PROC26

Environmental Release

Category

Market sector by type of

chemical product

ERC04, ERC05, ERC06a, ERC06b, ERC06d, ERC07

PC01, PC04, PC09a, PC11, PC14, PC15, PC16, PC19, PC20, PC35, PC37, P15900, PC 0: Other: UCN A40200, K55 100, SU 0: Other: K15000, V15100, R30 200, O05990, PC 0: Other: UCN

K35000, H15100, PC 0: Other: UCN P15100

Sector of end use SU02a, SU02b, SU06a, SU06b, SU08, SU09, SU11, SU12,

SU13, SU15, SU16, SU17, SU18, SU19, SU23, SU 0: Other: B8.1, SU 0: Other: NACE C20, 23.490, SU 0: Other: NACE D35.2.1, SU 0: Other: NACE E38.3, SU 0: Other: NACE F41

Subsequent service life relevant for that use

Yes.

Number of the ES 02781-1/2013-12-27

Section 2 - Exposure controls

Contributing exposure scenario controlling environmental exposure for: All

This product is not classified according to EU legislation., No exposure assessment presented for the environment.

Contributing exposure scenario controlling worker exposure for:

Product Characteristics Inorganic salt.

Concentration of substance

in mixture or article

<= 100 %

Physical state Solid. Granulate

Date of issue: 14.09.2015 Page:21/28 Liquid. Melt

Melt prills

Dust : Solid, low dustiness

Frequency and duration of

use

Use duration (h/d): < 8</p>

Area of use: : Indoor

Ventilation control

measures

Provide a basic standard of general ventilation (1 to 3 air changes

per hour)., No special ventilation requirements.

Conditions and measures related to personal protection, hygiene and health evaluation

Advice on general occupational hygiene

Pay attention to good general hygiene and housekeeping., Wash hands and face before breaks and immediately after handling the product., Do not eat, drink or smoke when using this product.

Personal protection : Causes serious eye damage., Wear protective gloves/clothing

and eye/face protection., Wear suitable gloves tested to EN374., Wear work clothing with long sleeves., If necessary:, Chemical splash goggles or face shield., See Section 8 of the safety data

sheet (personal protective equipment).

Section 3 — Exposure estimation and reference to its source

Exposure estimation and reference to its source - Workers:

Exposure assessment

(human):

Contributing Scenario : All

Qualitative approach used to conclude safe use.

Exposure estimation : Not determined

Oral exposure is not expected to occur.

See Section 8 in SDS, DNEL.

Section 4 — Guidance to Downstream User to evaluate if he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Not applicable.

Abbreviations and acronyms

Process Category : PROC01 - Use in closed process, no likelihood of exposure

PROC02 - Use in closed, continuous process with occasional

controlled exposure

PROC03 - Use in closed batch process (synthesis or formulation) PROC04 - Use in batch and other process (synthesis) where

annother for expensive evices

opportunity for exposure arises

PROC05 - Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)
PROC07 - Spraying in industrial settings and applications

PROC08a - Transfer of substance or preparation

Date of issue : 14.09.2015 Page:22/28

(charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC08b - Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at dedicated facilities

PROC09 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10 - Roller application or brushing of adhesive and other coating

PROC13 - Treatment of articles by dipping and pouring

PROC15 - Use a laboratory reagent

PROC19 - Hand-mixing with intimate contact and only PPE

PROC26 - Handling of solid inorganic substances at ambient temperature

Environmental Release Category

ERC04 - Industrial use of processing aids in processes and products, not becoming part of articles

ERC05 - Industrial use resulting in inclusion into or onto a matrix ERC06a - Industrial use resulting in manufacture of another

substance (use of intermediates)

ERC06b - Industrial use of reactive processing aids

ERC06d - Industrial use of process regulators for polymerisation

processes in production of resins, rubbers, polymers ERC07 - Industrial use of substances in closed systems

Market sector by type of chemical product

PC01 - Adhesives, sealants

PC04 - Anti-Freeze and de-icing products

PC09a - Coatings and paints, thinners, paint removers

PC11 - Explosives

PC14 - Metal surface treatment products, including galvanic and electroplating products

PC15 - Non-metal surface treatment products

PC16 - Heat transfer fluids

PC19 - Intermediate

PC20 - Products such as ph-regulators, flocculants, precipitants, neutralization agents

PC35 - Washing and cleaning products (including solvent based products)

PC37 - Water treatment chemicals

P15900 - Process regulators (synthesis regulators) - Process regulators

PC 0: Other: UCN A40200 - Cooling agents

K55 100 - Cooling agents

SU 0: Other: K15000 - Coagulation agents V15100 - Viscosity changers - Thickening agents

R30 200 - Raw materials for production of glass and ceramics

O05990 - Drilling chemicals - Other drilling chemicals

PC 0: Other: UCN K35000 - Construction materials (building materials)

H15100 - Curing Agents - Concrete hardeners PC 0: Other: UCN P15100 - Accelerators

Sector of end use

SU02a - Mining, (without offshore industries)

SU02b - Offshore industries

SU06a - Manufacture of wood and wood products SU06b - Manufacture of pulp, paper and paper products

SU08 - Manufacture of bulk, large scale chemicals (including

petroleum products)

SU09 - Manufacture of fine chemicals

Date of issue: 14.09.2015 Page:23/28 SU11 - Manufacture of rubber products

SU12 - Manufacture of plastics products, including compounding and conversion

SU13 - Manufacture of other non-metallic mineral products, e.g. plasters, cement

SU15 - Manufacture of fabricated metal products, except machinery and equipment

SU16 - Manufacture of computer, electronic and optical products, electrical equipment

SU17 - General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment

SU18 - Manufacture of furniture

SU19 - Building and construction work

SU23 - Electricity, steam, gas water supply and sewage treatment

SU 0: Other: B8.1 - Quarrying of stone, sand and clay

SU 0: Other: NACE C20 - Manufacture of chemicals and chemical products

23.490 - Manufacture of other ceramic products SU 0: Other: NACE D35.2.1 - Manufacture of gas SU 0: Other: NACE E38.3 - Materials Recovery SU 0: Other: NACE F41 - Construction of building

Date of issue: 14.09.2015 Page:24/28



<u>Annex to the extended Safety Data Sheet (eSDS)</u> -**Exposure Scenario:**

Section 1 — Title

Short title of the exposure scenario

Yara - nitric acid, ammonium calcium salt - Professional, Industrial

Identified use name

Professional USE as chemical/process nutrient.

Professional USE as reactive agent/processing aid and for general

chemical applications.

Professional USE as heat transfer fluid.

Professional USE as part of specialist chemicals/other products.

Professional USE in construction materials.

Professional USE for soil remediation and mass stabilisation.

Professional USE in explosives or pyrotechnics.

Substance supplied to that

use in form of

As such, In a mixture

List of use descriptors

Process Category PROC01, PROC02, PROC03, PROC05, PROC08a, PROC08b,

PROC09, PROC10, PROC11, PROC13, PROC19, PROC26

Environmental Release

Category

ERC08a, ERC08b, ERC08c, ERC08d, ERC08e, ERC08f, ERC09a, ERC09b

Market sector by type of

chemical product

PC04, PC09a, PC11, PC14, PC16, PC20, PC35, PC37, P15900, PC 0: Other: UCN A40200, PC 0: Other: UCN K35900, H15100,

PC 0: Other: UCN P15100

Sector of end use

SU01, SU02a, SU13, SU15, SU17, SU19, SU23, SU 0: Other: B8.1, SU 0: Other: NACE D35.2.1, SU 0: Other: NACE F41

Subsequent service life

relevant for that use

Yes.

Number of the ES 02782-1/2013-12-27

Section 2 - Exposure controls

Contributing exposure scenario controlling environmental exposure for: All

This product is not classified according to EU legislation., No exposure assessment presented for the environment.

Contributing exposure scenario controlling worker exposure for:

Product Characteristics Inorganic salt.

Concentration of substance :

in mixture or article

<= 100 %

Physical state

Solid.

Granulate Liquid. Melt prills

Dust Solid, low dustiness

Date of issue: 14.09.2015 Page:25/28 Frequency and duration of

use

Use duration (h/d): < 8

Area of use: Indoor, Outdoor

Ventilation control

measures

Provide a basic standard of general ventilation (1 to 3 air changes

per hour)., No special ventilation requirements.

Conditions and measures related to personal protection, hygiene and health evaluation

Advice on general occupational hygiene

: Pay attention to good general hygiene and housekeeping., Wash hands and face before breaks and immediately after handling the product., Do not eat, drink or smoke when using this product.

Personal protection : Causes serious eye damage., Wear protective gloves/clothing

and eye/face protection., Wear suitable gloves tested to EN374., Wear work clothing with long sleeves., If necessary:, Chemical splash goggles or face shield., See Section 8 of the safety data

sheet (personal protective equipment).

Section 3 — Exposure estimation and reference to its source

Exposure estimation and reference to its source - Workers:

Exposure assessment

(human):

: Contributing Scenario : All

Qualitative approach used to conclude safe use.

Exposure estimation : Not determined

Oral exposure is not expected to occur.

See Section 8 in SDS. DNEL.

Section 4 — Guidance to Downstream User to evaluate if he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Not applicable.

Abbreviations and acronyms

Process Category : PRO

PROC01 - Use in closed process, no likelihood of exposure

PROC02 - Use in closed, continuous process with occasional

controlled exposure

PROC03 - Use in closed batch process (synthesis or formulation)
PROC05 - Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)

PROC08a - Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC08b - Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

dedicated facilities

PROC09 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10 - Roller application or brushing of adhesive and other

.....

Date of issue: 14.09.2015 Page:26/28

coating

PROC11 - Spraying outside industrial settings and/or applications

PROC13 - Treatment of articles by dipping and pouring PROC19 - Hand-mixing with intimate contact and only PPE

available

PROC26 - Handling of solid inorganic substances at ambient temperature

Environmental Release Category

ERC08a - Wide dispersive indoor use of processing aids in open systems

ERC08b - Wide dispersive indoor use of reactive substances in open systems

ERC08c - Wide dispersive indoor use resulting in inclusion into or onto a matrix

ERC08d - Wide dispersive outdoor use of processing aids in open systems

ERC08e - Wide dispersive outdoor use of reactive substances in open systems

ERC08f - Wide dispersive outdoor use resulting in inclusion into or onto a matrix

ERC09a - Wide dispersive indoor use of substances in closed

ERC09b - Wide dispersive outdoor use of substances in closed systems

Market sector by type of chemical product

PC04 - Anti-Freeze and de-icing products

PC09a - Coatings and paints, thinners, paint removers

PC11 - Explosives

PC14 - Metal surface treatment products, including galvanic and electroplating products

PC16 - Heat transfer fluids

PC20 - Products such as ph-regulators, flocculants, precipitants, neutralization agents

PC35 - Washing and cleaning products (including solvent based products)

PC37 - Water treatment chemicals

P15900 - Process regulators (synthesis regulators) - Process regulators

PC 0: Other: UCN A40200 - Cooling agents

PC 0: Other: UCN K35900 - Other construction materials

H15100 - Curing Agents - Concrete hardeners PC 0: Other: UCN P15100 - Accelerators

Sector of end use

SU01 - Agriculture, forestry, fishery

SU02a - Mining, (without offshore industries)

SU13 - Manufacture of other non-metallic mineral products, e.g.

plasters, cement

SU15 - Manufacture of fabricated metal products, except

machinery and equipment

SU17 - General manufacturing, e.g. machinery, equipment,

vehicles, other transport equipment SU19 - Building and construction work

SU23 - Electricity, steam, gas water supply and sewage treatment

SU 0: Other: B8.1 - Quarrying of stone, sand and clay SU 0: Other: NACE D35.2.1 - Manufacture of gas SU 0: Other: NACE F41 - Construction of building

Date of issue: 14.09.2015 Page:27/28

Date of issue : 14.09.2015 Page:28/28