

Rev 3.0 - 02 September 2020

PRODUCT CODE - 110



UNI EN 1504-2

DECLARATION OF PERFORMANCE

According to Annex III of the Regulation (EU) No. 305/2011

1. Unique Identification Code of the Product Type:

110 WATstop

2. Type, batch or serial number of any other element allowing identification of the construction product:

Production date and batch are printed on the packaging.

3. Intended Use/s:

Products and systems for the protection and restoration of concrete structures - Part 2: Systems to protect concrete surfaces in accordance with UNI EN 1504-2

Intended use: coating (C)

Product used in buildings and civil engineer works

4. Manufacturer:

Newton Waterproofing Systems
 (a trading name of John Newton & Company Ltd.)
 Newton House
 17-20 Sovereign Way
 Tonbridge
 Kent
 TN9 1RH
 01732 360095
www.newtonwaterproofing.co.uk

5. Authorised Representative:

Not Applicable

6. System/s of AVCP:

System 2+

NEWTON 110 WATSTOP

Epoxy-Cement Waterproofing Mortar & Slurry

7. Harmonised Standard:

UNI EN 1504-2

NOTIFIED BODY/IES:

Notified Body No. 0068 undertook the initial inspection of type testing, manufacturing plant, factory production control and the continuous surveillance, assessment and evaluation of factory production control under System 2+ and issued Certificate of Conformity of factory production control.

8. European Assessment Document:

Not applicable

EUROPEAN TECHNICAL ASSESSMENT:

Not applicable

TECHNICAL ASSESSMENT BODY:

Not applicable

NOTIFIED BODY/IES:

Not applicable

9. Declared Performance:

| Essential characteristics | Declared performance | Test standard | Harmonised Technical Standard |
|---|----------------------|-----------------------------|-------------------------------|
| Water vapour permeability | $\mu = 13361$ | UNI EN ISO 7783 | UNI EN 1504-2 |
| Capillary absorption and water permeability | NPD | UNI EN 1062-3 | |
| Adhesion test of straight traction | NPD | UNI EN 1542 | |
| Reaction to fire | NPD | UNI EN 13501-1 | |
| Thermal resistance | NPD | | |
| Dangerous substances | Consult SDS | EC Regulation No. 1272/2008 | |

10. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Warren Muschialli - Managing Director



At: Newton Waterproofing Systems
Newton House
17-20 Sovereign Way
Tonbridge
Kent
TN9 1RH



On: 02 September 2020

NEWTON 110 WATSTOP

Epoxy-Cement Waterproofing Mortar & Slurry

|  |  | <p>Newton Waterproofing Systems Newton House 17-20 Sovereign Way Tonbridge Kent TN9 1RH</p> | <p>110 WATstop UNI EN 1504-2 Products and systems for the protection and restoration of concrete structures – Part 2 : Systems to protect concrete surfaces</p> |
|---|---|---|---|
| Essential characteristics | Declared performance | Test standard | Harmonised Technical Standard |
| Water vapour permeability | $\mu = 13361$ | UNI EN ISO 7783 | UNI EN 1504-2 |
| Capillary absorption and water permeability | NPD | UNI EN 1062-3 | |
| Adhesion test of straight traction | NPD | UNI EN 1542 | |
| Reaction to fire | NPD | UNI EN 13501-1 | |
| Thermal resistance | NPD | | |
| Dangerous substances | Consult SDS | EC Regulation No. 1272/2008 | |