

CDM 503 Mesh

3mm Meshed Cavity Drain Membrane

UK
CA

Revision: 3.0 - 9th November 2022
Codes: M11, M11-20, M11-10

BS EN 13967:2012 + A1:2017

DECLARATION OF CONFORMITY

1. PRODUCT NAME:

CDM 503 Mesh

2. INTENDED USE/S:

Waterproofing sheet for damp proof sheets, Type V, BS EN 13967 : 2012 + A1 : 2017

3. NAME, REGISTERED TRADE NAME:

Newton Waterproofing Systems
(a trading name of John Newton & Company Ltd.)
Newton House
17-20 Sovereign Way
Tonbridge
Kent
TN9 1RH
01732 360095
www.newtonwaterproofing.co.uk

4. AVCP

System 2+

5. HARMONISED STANDARD

BS EN 13967 : 2012 + A1 : 2017

6. NOTIFIED BODIES

0836

CDM 503 Mesh

3mm Meshed Cavity Drain Membrane

7. DECLARED PERFORMANCE:

Essential Characteristics	Performance	Test Standard	Harmonised Technical Specification
Water tightness, 60 kPa; 24h	Pass	EN 1928	EN 13967:2012 + A1:2017
Resistance to tearing	MD - npd CMD - npd	En 12310-1	
Elongation (5%)	MD - npd CMD - npd	EN 12311-2	
Compressive creep (resistance to static load)	npd	En 13967 Annex B	
Impact resistance	npd	EN 12691-2 Method A	
Durability against ageing	npd	EN 1296 / EN 1928	
Durability against chemicals	npd	EN 1926 / EN 1928	
Fire resistance	E	EN 13501-1:2007 + A1:2009	
Joint tensile shear resistance	npd	EN 12317-2	
Compressive strength	250 kN	BS EN ISO 25619-2	

8. DECLARATION:

The performance of the product identified above is in conformity with the set of declared performance/s.
The declaration of this performance is issued under the sole responsibility of the manufacturer identified above.
A digital copy of this Declaration of Performance can be found on the Newton Waterproofing Systems website.

Signed for and on behalf of the manufacturer by:

Name: Warren Muschiali

At: Newton Waterproofing Systems
Newton House
17-20 Sovereign Way
Tonbridge
Kent
TN9 1RH



On: 9th November 2022

Signature:



CDM 503 Mesh

3mm Meshed Cavity Drain Membrane

		<p>Newton Waterproofing Systems Newton House 17-20 Sovereign Way Tonbridge Kent TN9 1RH</p>	<p>M11 BS EN 13967:2012 + A1:2017 Waterproofing sheet for damp proof sheets, type V</p>	
<p>Essential characteristics to BS EN 13967:2012 + A1:2017</p>		<p>Test Standard</p>	<p>Result</p>	<p>Unit of measure</p>
<p>Water tightness, 60 kPa; 24h</p>		<p>EN 1928</p>	<p>Pass</p>	
<p>Resistance to tearing</p>		<p>EN 12310-1</p>	<p>MD - npd CMD - npd</p>	
<p>Elongation (5%)</p>		<p>EN 12311-2</p>	<p>MD - npd CMD - npd</p>	
<p>Compressive creep (resistance to static load)</p>		<p>EN 13967 Annex B</p>	<p>npd</p>	
<p>Impact resistance</p>		<p>EN 12691-2 Method A</p>	<p>npd</p>	
<p>Durability against ageing</p>		<p>EN 1296 / EN 1928</p>	<p>npd</p>	
<p>Durability against chemicals</p>		<p>EN 1926 / EN 1928</p>	<p>npd</p>	
<p>Fire resistance</p>		<p>EN 13501-1:2007 + A1:2009</p>	<p>E</p>	
<p>Joint tensile shear resistance</p>		<p>EN 12317-2</p>	<p>npd</p>	
<p>Compressive strength</p>		<p>BS EN ISO 25619-2</p>	<p>250</p>	<p>kN</p>

Newton Waterproofing Systems reserve the right to update product literature at any time. Please always refer to our [website](http://www.newtonwaterproofing.co.uk) for the latest versions.