

CDM 503 Mesh

3mm Meshed Cavity Drain Membrane

Revision: 3.0 - 24th August 2022
Codes: M11, M11-20, M11-10



BS EN 13967:2012 + A1:2017

DECLARATION OF PERFORMANCE

According to Annex III of the Regulation (EU) No. 305/2011

1. PRODUCT NAME:

CDM 503 Mesh

2. INTENDED USE/S:

Waterproofing sheet for damp proof sheets, type V

3. NAME, REGISTERED TRADE NAME:

Newton Waterproofing Systems
(a trading name of John Newton & Company Ltd.)
Newton House
17-20 Sovereign Way
Tonbridge
Kent
TN9 1RH
01732 360095
www.newtonwaterproofing.co.uk

4. AVCP

System 2+

5. NOTIFIED BODY

In case of the DoP concerning a construction product covered by the harmonized standard:

BS EN 13967 : 2012 + A1 : 2017

Initial type test report: British Board of Agrément test report 63213

Notified body British Board of Agrément performed the initial inspection of the manufacturing plant and of factory production control (0836-CPR-18/F440) and the continuous surveillance assessment and evaluation of FPC and issued the certificate of conformity of the FPC no.

CDM 503 Mesh

3mm Meshed Cavity Drain Membrane

6. DECLARED PERFORMANCE:

Essential Characteristics	Performance	Test Standard	Harmonised Technical Specification
Water tightness, 60 kPa; 24h	Pass	EN 1928	EN 13967:2012 + A1:2017
Resistance to tearing	MD - npd CMD - npd	En 12310-1	
Elongation (5%)	MD - npd CMD - npd	EN 12311-2	
Compressive creep (resistance to static load)	npd	En 13967 Annex B	
Impact resistance	npd	EN 12691-2 Method A	
Durability against ageing	npd	EN 1296 / EN 1928	
Durability against chemicals	npd	EN 1926 / EN 1928	
Fire resistance	E	EN 13501-1:2007 + A1:2009	
Joint tensile shear resistance		EN 12317-2	
Compressive strength	250 kN	BS EN ISO 25619-2	

7. DECLARATION:

The performance of this product identified in points 1 and 2 is in conformity with the declared performance in point 6.

The declaration of this performance is issued under the sole responsibility of the manufacturer identified in point 4.

A digital copy of this Declaration of Performance can be found on the Newton Waterproofing Systems website.

Signed for and on behalf of the manufacturer by::

Name: Warren Muschiali

At: Newton Waterproofing Systems
Newton House
17-20 Sovereign Way
Tonbridge
Kent
TN9 1RH



On: 24th August 2022

Signature:



CDM 503 Mesh

3mm Meshed Cavity Drain Membrane

	 <p>Newton Waterproofing Systems Newton House 17-20 Sovereign Way Tonbridge Kent TN9 1RH</p>	<p>M11 BS EN 13967:2012 + A1:2017 Waterproofing sheet for damp proof sheets, type V</p>	
Essential characteristics to BS EN 13967:2012 + A1:2017	Test Standard	Result	Unit of measure
Water tightness, 60 kPa; 24h	EN 1928	Pass	
Resistance to tearing	EN 12310-1	MD - npd CMD - npd	
Elongation (5%)	EN 12311-2	MD - npd CMD - npd	
Compressive creep (resistance to static load)	EN 13967 Annex B	npd	
Impact resistance	EN 12691-2 Method A	npd	
Durability against ageing	EN 1296 / EN 1928	npd	
Durability against chemicals	EN 1926 / EN 1928	npd	
Fire resistance	EN 13501-1:2007 + A1:2009	E	
Joint tensile shear resistance	EN 12317-2		
Compressive strength	BS EN ISO 25619-2	250	kN

Newton Waterproofing Systems reserve the right to update product literature at any time. Please always refer to our [website](http://www.newtonwaterproofing.co.uk) for the latest versions.