



DECLARATION OF PERFORMANCE

According to Annex III of the Regulation (EU) No. 305/2011

1. UNIQUE IDENTIFICATION CODES OF THE PRODUCT TYPE:

810-DPM

2. TYPE, BATCH OR SERIAL NUMBER OF ANY OTHER ELEMENT ALLOWING IDENTIFICATION OF THE CONSTRUCTION PRODUCT:

Production date and batch are printed on the packaging.

3. INTENDED USE/S:

Two component moisture tolerant epoxy DPM. According to EN 13813: SR-B2.0

4. MANUFACTURER:

Newton Waterproofing Systems
(a trading name of John Newton & Company Ltd.)
Newton House
17-20 Sovereign Way
Tonbridge
Kent
TN9 1RH
01732 360095
www.newtonwaterproofing.co.uk

5. AUTHORISED REPRESENTATIVE:

Not Applicable

6. SYSTEM/S OF AVCP:

System 4

7. HARMONISED STANDARD:

EN 13813:2002

NOTIFIED BODY/IES:

Not applicable

8. EUROPEAN ASSESSMENT DOCUMENT:

Not applicable

EUROPEAN TECHNICAL ASSESSMENT:

Not applicable

TECHNICAL ASSESSMENT BODY:

Not applicable

NOTIFIED BODY/IES:

Not applicable

9. DECLARED PERFORMANCE:

Essential characteristics	Declared performance	Test standard	Harmonised Technical Standard
Release of corrosive substances	SR	(EN 13813, 5.3.5)	EN 13813:2002
Water permeability	NPD		
Wear resistance	AR0.5	EN 13892-4	
Bond strength	>B2.0	EN 13892-8	
Impact resistance	>IR10	EN ISO 6272	
Reaction to fire	NPD		
Sound absorption	NPD		
Thermal resistance	NPD		
Chemical resistance	NPD		

10. APPROPRIATE TECHNICAL DOCUMENTATION AND/OR SPECIFIC TECHNICAL DOCUMENTATION:

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Warren Muschialli - Managing Director



At: Newton Waterproofing Systems
Newton House
17-20 Sovereign Way
Tonbridge
Kent
TN9 1RH



On: 07 June 2021

DampSafe / NewCoat DPM

Damp Tolerable Epoxy DPM

				<p>Newton Waterproofing Systems Newton House 17-20 Sovereign Way Tonbridge Kent TN9 1RH</p>		<p>810-DPM EN 13813:2002</p> <p>Two component moisture tolerant epoxy resin primer. According to EN 13813: SR-B2.0</p>	
Essential characteristics		Declared performance		Test standard		Harmonised Technical Standard	
Release of corrosive substances		SR		(EN 13813, 5.3.5)		EN 13813:2002	
Water permeability		NPD					
Wear resistance		NPD		EN 13892-4			
Bond strength		>B2.0		EN 13892-8			
Impact resistance		>IR10		EN ISO 6272			
Reaction to fire		NPD					
Sound absorption		NPD					
Thermal resistance		NPD					
Chemical resistance		NPD					